





## Adapters for 1/4"-28 threaded ports

	 Bore 0.4mm	 Bore 1.3mm	 Bore 1.3mm	 Bore 1.5mm	 Bore 1.0mm
<b>Part No.</b>	<b>220312</b>	<b>220302</b>	<b>220304</b>	<b>220305</b>	<b>220308</b>
<b>Description</b>	Adapter, PEEK 1/4"-28 female to 10-32 female	Adapter, PEEK 1/4"-28 female to Luer Lock female	Adapter, PEEK 1/4"-28 female to Luer Lock male	Adapter, PEEK 1/4"-28 male to Luer female	Adapter, PEEK 1/4"-28 male to Luer Lock male

## Adapters for 10-32 threaded ports





	 Bore 0.4mm	 Bore 1.3mm	 Bore 1.3mm	 Bore 1.3mm	 Bore 1.0 mm
<b>Part No.</b>	<b>220300</b>	<b>220314</b>	<b>220315</b>	<b>220337</b>	<b>220322</b>
<b>Description</b>	Adapter, PEEK 10-32 male to 1/4"-28 female	Adapter, PEEK 10-32 female to Luer Lock female	Adapter, PEEK 10-32 female to Luer Lock male	Adapter, PEEK 10-32 male to Luer Lock female	Adapter, SS 10-32 male to Luer female

For more HPLC Adapters visit [www.bgb-info.com/hplc-accessories](http://www.bgb-info.com/hplc-accessories)

## HPLC Certified Plastic Disposable Syringes

Polypropylene





<b>with Luer Slip</b>				
<b>Part No.</b>	<b>PP-EWS-2L</b>	<b>PP-EWS-5L</b>	<b>PP-EWS-10L</b>	<b>PP-EWS-20L</b>
<b>Description</b>	2ml Luer-Slip HPLC Certified	5ml Luer-Slip HPLC Certified	10ml Luer-Slip HPLC Certified	20ml Luer-Slip HPLC Certified

## Plugs & Caps

	 max. 1375bar	 max. 350bar			
<b>Part No.</b>	<b>220330</b>	<b>220331</b>	<b>220332</b>	<b>220333</b>	<b>220334</b>
<b>Description</b>	Plug, SS 10-32 thread for high Pressure	Plug, PEEK 10-32 thread	Plug, ETFE 10-32 thread	Plug, PEEK 1/4"-28 thread	Plug, POM (Delrin) 1/4"-28 thread


	 max. 1375bar	 max. 350bar			
<b>Part No.</b>	<b>200972</b>	<b>220338</b>	<b>220339</b>	<b>220340</b>	<b>220341</b>
<b>Description</b>	Cap, SS 10-32 thread for high Pressure	Cap, PEEK 10-32 thread (incl. cap, nut & ferrule)	Cap, ETFE 10-32 thread	Cap, PEEK 1/4"-28 thread	Cap, ETFE 1/4"-28 thread

				
<b>Part No.</b>	<b>220335</b>	<b>220336</b>	<b>200973</b>	<b>220343</b>
<b>Description</b>	Plug, SS 1/8" 5/16"-24 thread for high Pressure	Plug, SS 1/4" 7/16"-20 thread	Cap, SS 1/8" 5/16"-24 thread	Cap, SS 1/4" 7/16"-20 thread

## 1/4"-28 Flangeless Fittings & Ferrules

				 max. 69 bar	 max. 172 bar
<b>Part No.</b>	<b>220344</b>	<b>220345</b>	<b>220346</b>	<b>220347</b>	<b>220348</b>
<b>Description</b>	Short Nut, PEEK 1/4"-28 thread 1/8" OD Tubing Fingertight, Short	Nut, PEEK 1/4"-28 thread 1/8" OD Tubing Fingertight, Long	Nut, POM (Delrin) 1/4"-28 thread 1/8" OD Tubing Fingertight, Long	Ferrule, ETFE with Stainless Steel Ring 1/8" OD Tubing	Ferrule, PEEK with Stainless Steel Ring 1/8" OD Tubing

		 max. 35 bar		 max. 105 bar
<b>Part No.</b>	<b>220349</b>	<b>220351</b>	<b>220350</b>	<b>220352</b>
<b>Description</b>	Nut, PPS 1/4"-28 thread 1/8" OD Tubing Hex Head	Ferrule, ETFE 1/8" OD Tubing	Nut, PPS 1/4"-28 thread 1/16" OD Tubing Hex Head	Ferrule, ETFE 1/16" OD Tubing

	 max. 69 bar	 max. 69 bar
<b>Part No.</b>	<b>220353</b>	<b>220354</b>
<b>Description</b>	Fitting, PEEK 1/4"-28 thread 1/8" OD Tubing „No-Twist-One-Piece“ Fingertight	Fitting, PEEK 1/4"-28 thread 1/16" OD Tubing „No-Twist-One-Piece“ Fingertight



SETonic PEEK Tubing Connector Syringes  
for more information visit [www.bgb-info.com/setonic-threaded](http://www.bgb-info.com/setonic-threaded)

# HPLC Adapters, Fittings and Unions

## 1/16" 10-32 UHPLC Fittings & Ferrules for 1/16" OD Tubing

					
	max. 1400 bar	max. 1400 bar	max. 1400 bar	max. 1400 bar	max. 1400 bar
<b>Part No.</b>	<b>220355</b>	<b>220356</b>	<b>220357</b>	<b>220358</b>	<b>220359</b>
<b>Description</b>	UHPLC Fitting, SS with Titanium/PEEK Ferrule, 10-32 thread Hex Head, Short	UHPLC Fitting, SS with Titanium/PEEK Ferrule, 10-32 thread Hex Head, Standard	UHPLC Fitting, SS with Titanium/PEEK Ferrule, 10-32 thread Hex Head, Long	UHPLC Fitting, SS with Titanium/PEEK Ferrule, 10-32 thread Fingertight	UHPLC Ferrule Titanium/PEEK 1/16" OD Tubing

				
	max. 1375 bar	max. 1375 bar	max. 1375 bar	max. 1375 bar
<b>Part No.</b>	<b>200952</b>	<b>200953</b>	<b>200954</b>	<b>200955</b>
<b>Description</b>	UHPLC Nut, SS 10-32 thread Hex Head, Short	UHPLC Nut, SS 10-32 thread Hex Head, Standard	UHPLC Nut, SS 10-32 thread Hex Head, Long	UHPLC Ferrule, SS 1/16" OD Tubing

		
	max. 827 bar	max. 700 bar
<b>Part No.</b>	<b>220364</b>	<b>220365</b>
<b>Description</b>	UHPLC Fitting, PEEK 10-32 thread Fingertight, One-Piece	UHPLC Fitting, PEEK 10-32 thread Hex Head, One-Piece







SETonic PEEK Tubing Connector Syringes

for more information visit [www.bgb-info.com/setonic-threaded](http://www.bgb-info.com/setonic-threaded)

## BGB HPLC Columns - for more information visit [www.bgb-info.com/hplc-columns](http://www.bgb-info.com/hplc-columns)











## 1/16" 10-32 Standard HPLC Fittings & Ferrules for 1/16" OD Tubing

„No-Twist- One-Piece“	 max. 350 bar	 max. 350 bar	 max. 350 bar	 max. 350 bar
	<b>Part No.</b> 220366	<b>Part No.</b> 220367	<b>Part No.</b> 220368	<b>Part No.</b> 220369
<b>Description</b>	Fitting, PEEK 10-32 thread Hex Head, Short	Fitting, PEEK 10-32 thread Hex Head, Standard	Fitting, PEEK 10-32 thread Hex Head, Long	Fitting, PEEK 10-32 thread Fingertight




One-Piece	 max. 345 bar	 max. 345 bar	 max. 345 bar
	<b>Part No.</b> 220370	<b>Part No.</b> 220371	<b>Part No.</b> 200910
<b>Description</b>	Fitting, PEEK 10-32 thread Fingertight, Short	Fitting, PEEK 10-32 thread Fingertight, Long	Fitting, PEEK 10-32 thread Fingertight






## Unions

1/16" OD Tubing	 max. 350bar Bore 0.25mm	 max. 350bar Bore 0.50mm	 max. 1375bar Bore 0.15mm	 max. 1375bar Bore 0.25mm	 max. 1375bar Bore 0.50mm
	<b>Part No.</b> 201950	<b>Part No.</b> 201951	<b>Part No.</b> 200980	<b>Part No.</b> 200981	<b>Part No.</b> 200982
<b>Description</b>	Union, PEEK 1/16" 10-32 thread	Union, PEEK 1/16" 10-32 thread	Union, SS 1/16" 10-32 thread	Union, SS 1/16" 10-32 thread	Union, SS 1/16" 10-32 thread





1/8" OD Tubing	 Bore 0.75mm	 Bore 1.3mm	 End to End thread
	<b>Part No.</b> 220379	<b>Part No.</b> 220380	<b>Part No.</b> 220381
<b>Description</b>	Union, PEEK 1/4"-28 thread	Union, PEEK 1/4"-28 thread	Union, ETFE 1/4"-28 thread

## Reducing Unions

	 <p>max. 1375 bar</p> <p>Bore 0.15mm</p>	 <p>max. 1375 bar</p> <p>Bore 0.75mm</p>	 <p>max. 350 bar</p> <p>Bore 0.75mm</p>
<b>Part No.</b>	<b>220382</b>	<b>200984</b>	<b>220384</b>
<b>Description</b>	Reducing Union, SS 1/16" 10-32 to 1/32" 6-40	Reducing Union, SS 1/16" 10-32 to 1/8" 5/16"-24	Reducing Union, SS 1-16" 10-32 to 1/4" 7/16"-20

	 <p>max. 350 bar</p> <p>Bore 0.15mm</p>	 <p>max. 350 bar</p> <p>Bore 0.25mm</p>	 <p>max. 350 bar</p> <p>Bore 0.75mm</p>	 <p>Bore 0.4mm</p>	 <p>Bore 0.4mm</p>
<b>Part No.</b>	<b>202010</b>	<b>220386</b>	<b>201970</b>	<b>220312</b>	<b>220317</b>
<b>Description</b>	Reducing Union, PEEK 1-16" 10-32 to 360µm 2-56	Reducing Union, PEEK 1-16" 10-32 to 1/32" 6-40	Reducing Union, PEEK 1/16" 10-32 to 1/8" 5/16"-24	Adapter, PEEK 10-32 female to 1/4"-28 female	Adapter, PEEK 10-32 female to M6 female

## Tees

	 <p>max. 350 bar</p> <p>Bore 0.25mm</p>	 <p>max. 350 bar</p> <p>Bore 0.50mm</p>	 <p>max. 1375 bar</p> <p>Bore 0.25mm</p>	 <p>max. 1375 bar</p> <p>Bore 0.50mm</p>
<b>Part No.</b>	<b>201980</b>	<b>201981</b>	<b>200985</b>	<b>200986</b>
<b>Description</b>	Tee, PEEK 1/16" 10-32 thread	Tee, PEEK 1/16" 10-32 thread	Tee, SS 1/16" 10-32 thread	Tee, SS 1/16" 10-32 thread