




20% IPA in hexane  
 2 ml/min; 254 nm  
 4.6 mm x 25 cm Whelk-O 1  
 $k'_1 = 3.82$   
 $\alpha = 1.07$   
 reference 20




20% IPA in hexane  
 2 ml/min; 254 nm  
 4.6 mm x 25 cm Whelk-O 1  
 $k'_1 = 5.93$   
 $\alpha = 1.18$   
 reference 20




20% IPA in hexane  
 2 ml/min; 254 nm  
 4.6 mm x 25 cm Whelk-O 1  
 $k'_1 = 2.25$   
 $\alpha = 1.19$   
 reference 20




20% IPA in hexane  
 2 ml/min; 254 nm  
 4.6 mm x 25 cm Whelk-O 1  
 $k'_1 = 6.79$   
 $\alpha = 1.04$   
 reference 20




20% IPA in hexane  
 2 ml/min; 254 nm  
 4.6 mm x 25 cm Whelk-O 1  
 $k'_1 = 1.48$   
 $\alpha = 1.23$   
 reference 20




20% IPA in hexane  
 2 ml/min; 254 nm  
 4.6 mm x 25 cm Whelk-O 1  
 $k'_1 = 1.71$   
 $\alpha = 1.75$   
 reference 20



20% IPA in hexane  
 2 ml/min; 254 nm  
 4.6 mm x 25 cm Whelk-O 1  
 $k'_1 = 4.93$   
 $\alpha = 1.62$   
 reference 20




20% IPA in hexane  
 2 ml/min; 254 nm  
 4.6 mm x 25 cm Whelk-O 1  
 $k'_1 = 2.44$   
 $\alpha = 1.75$   
 reference 20




# REGIS Organometallic Compounds


20% IPA in hexane  
2 ml/min; 254 nm  
4.6 mm x 25 cm Whelk-O 1  
 $k'_1 = 1.79$   
 $\alpha = 1.99$   
reference 20




20% IPA in hexane  
2 ml/min; 254 nm  
4.6 mm x 25 cm Whelk-O 1  
 $k'_1 = 3.14$   
 $\alpha = 1.86$   
reference 20




20% IPA in hexane  
2 ml/min; 254 nm  
4.6 mm x 25 cm Whelk-O 1  
 $k'_1 = 1.14$   
 $\alpha = 1.75$   
reference 20




20% IPA in hexane  
2 ml/min; 254 nm  
4.6 mm x 25 cm Whelk-O 1  
 $k'_1 = 1.86$   
 $\alpha = 1.69$   
reference 20




20% IPA in hexane  
2 ml/min; 254 nm  
4.6 mm x 25 cm Whelk-O 1  
 $k'_1 = 3.71$   
 $\alpha = 2.50$   
reference 20




20% IPA in hexane  
2 ml/min; 254 nm  
4.6 mm x 25 cm Whelk-O 1  
 $k'_1 = 11.86$   
 $\alpha = 2.08$   
reference 20




20% IPA in hexane  
2 ml/min; 254 nm  
4.6 mm x 25 cm Whelk-O 1  
 $k'_1 = 3.71$   
 $\alpha = 2.50$   
reference 20




20% IPA in hexane  
2 ml/min; 254 nm  
4.6 mm x 25 cm Whelk-O 1  
 $k'_1 = 2.29$   
 $\alpha = 2.46$   
reference 20




30% CH<sub>2</sub>Cl<sub>2</sub> in hexane  
 2 ml/min; 254 nm  
 4.6 mm x 25 cm Whelk-O 1  
 $k'_1 = 4.28$   
 $\alpha = 1.07$   
 reference 20




30% CH<sub>2</sub>Cl<sub>2</sub> in hexane  
 2 ml/min; 254 nm  
 4.6 mm x 25 cm Whelk-O 1  
 $k'_1 = 7.57$   
 $\alpha = 1.09$   
 reference 20




30% CH<sub>2</sub>Cl<sub>2</sub> in hexane  
 2 ml/min; 254 nm  
 4.6 mm x 25 cm Whelk-O 1  
 $k'_1 = 3.57$   
 $\alpha = 1.06$   
 reference 20



20% IPA in hexane  
 2 ml/min; 254 nm  
 4.6 mm x 25 cm Whelk-O 1  
 $k'_1 = 1.77$   
 $\alpha = 1.11$   
 reference 20



20% IPA in hexane  
 2 ml/min; 254 nm  
 4.6 mm x 25 cm Whelk-O 1  
 $k'_1 = 3.22$   
 $\alpha = 1.15$   
 reference 20



20% IPA in hexane  
 2 ml/min; 254 nm  
 4.6 mm x 25 cm Whelk-O 1  
 $k'_1 = 4.48$   
 $\alpha = 1.08$   
 reference 20

