


## Burettes, PTFE key, class AS, works certified

**PYREX®**

- Complies with ISO 385
- Individually tested and supplied with certificate showing exact volume dispensed at 3 points on the scale
- Individual serial number and certificate provides complete traceability to National Standards
- Each burette has a +30s waiting time before final reading can be taken
- Manufactured from precision-bore borosilicate glass tubing for high accuracy
- 1.5mm bore PTFE key which requires no lubrication
- White enamel graduations

Product Code	Capacity (ml)	Grads. ml	Tol. ± ml	Pack qty.
3295/22ASWC	10	0.02	0.02	1
3295/24ASWC	25	0.10	0.05	1
3295/26ASWC	50	0.10	0.05	1
3295/28ASWC	100	0.20	0.10	1



## Burettes, PTFE key, class AS

**PYREX®**

- Complies with ISO 385
- Manufactured from precision-bore tubing (borosilicate glass) for high accuracy
- Each burette has a +30s waiting time before final reading can be taken
- Graduations in white enamel for increased visibility with dark solutions
- Grease-free interchangeable PTFE key with 1.5mm bore

Product Code	Capacity (ml)	Grads. ml	Tol. ± ml	Pack qty.
3295/12AS	10	0.02	0.02	1
3295/14AS	25	0.10	0.05	1
3295/16AS	50	0.10	0.05	1
3295/18AS	100	0.20	0.10	1




## Burettes, PTFE key, class AS, Schellbach

PYREX®

- Complies with ISO 385
- Graduations and inscriptions in blue enamel
- Schellbach burette tube with vertical white stripe and central blue ribbon
  - Facilitates accurate reading of meniscus
  - exact position of the meniscus is clearly defined where the blue ribbon splits into a wide and narrow band
- With funnel top to make filling easier and safer
- Each burette has a +30s waiting time before final reading can be taken
- Manufactured from chemically resistance borosilicate glass
- Grease-free interchangeable PTFE key with 1.5mm bore

Product Code	Capacity (ml)	Grads. ml	Tol. ± ml	Pack qty.
492092	10	0.05	0.03	1
492093	25	0.1	0.05	1
492094	25	0.05	0.03	1
492095	50	0.1	0.05	1



## Burettes, PTFE key, class B


PYREX®

- Complies with ISO 385
- Fitted with interchangeable PTFE keys for grease-free performance, with 1.5mm bore
- White enamel graduations for good visibility with dark coloured solutions
- Manufactured from borosilicate glass for increased chemical resistance

Product Code	Capacity (ml)	Grads. ml	Tol. ± ml	Pack qty.
3295/02	10	0.02	0.05	1
3295/04	25	0.10	0.10	1
3295/06	50	0.10	0.10	1
3295/08	100	0.20	0.20	1



Schools and colleges may wish to consider Azlon® tough acrylic burettes as detailed on page. 85.





## Burettes, PTFE key, blue graduations, class B

**MBL®**

- Complies with ISO 385
- 10, 25 and 50 ml sizes are available fitted with funnel top to make filling easier and safer
- Grease-free PTFE stopcock with 1.5mm bore
- Graduations in easy to read blue enamel
- Manufactured from borosilicate glass

Product Code	Capacity (ml)	Grads. ml	Tol. ± ml	Pack qty.
BRB070P	10	0.02	0.05	1
BRB074P	25	0.10	0.10	1
BRB075P	25	0.10	0.10	1
BRB076P	50	0.10	0.10	1
BRB077P	50	0.10	0.10	1

**i** BRB070P, BRB075P, BRB077P are fitted with fluted funnel tops.



## Burettes, Rotaflo, PTFE key, class B

**MBL®**

- Complies with ISO 385
- With GP Rotaflo® stopcock having PTFE key
  - No lubrication required
  - No seizure with caustic solutions
  - Provides fine drop control
  - 3.0mm key bore
- Graduations in permanent amber stain which is fused into the glass and is especially resistant to aggressive cleaning solutions
- Manufactured from borosilicate glass

Product Code	Capacity (ml)	Grads. ml	Tol. ± ml	Pack qty.
BRB402	10	0.10	0.05	1
BRB404	25	0.10	0.10	1
BRB406	50	0.10	0.10	1
BRB408	100	0.20	0.20	1

**i** BRB402 is supplementary to ISO 385.



## Burettes, modular, PTFE stopcock, class B

**MBL<sup>®</sup>**

- Complies with ISO 385
- With funnel top to make filling easier and safer
- PTFE stopcock for grease-free performance
- Easy to read blue enamel graduations
- Burette manufactured from borosilicate glass
- Modular design with detachable burette tube, stopcock and jet for easy replacement

Product Code	Capacity (ml)	Grads. ml	Tol. ± ml	Pack qty.
BRB264P	25	0.10	0.10	1
BRB266P	50	0.10	0.10	1

**i** BRB284 - Replacement glass jets are made from soda-lime glass.

### Replacement parts for modular burette

Product Code	Description	Pack qty.
BRB274P	25ml glass burette tube	1
BRB276P	50ml glass burette tube	1
BRB284	Glass jet for 25 & 50ml burettes	5
BRB290	PTFE stopcock	10



## Burettes, glass key, class AS, Schellbach

**PYREX<sup>®</sup>**

- Complies with ISO 385
- Graduations and inscriptions in blue enamel
- Schellbach burette tube with vertical white stripe and central blue ribbon
  - Facilitates accurate reading of meniscus
  - exact position of the meniscus is clearly defined where the blue ribbon splits into a wide and narrow band
- With funnel top to make filling easier and safer
- Each burette has a +30s waiting time before final reading can be taken
- Manufactured from chemically resistance borosilicate glass
- With interchangeable 1.5mm bore glass key

Product Code	Capacity (ml)	Grads. ml	Tol. +/- ml	Pack qty.
492145	10	0.05	0.03	1
492146	25	0.1	0.05	1
492147	25	0.05	0.03	1
492148	50	0.1	0.05	1





## Burettes, glass key, class B

**MBL®**

- Complies with ISO 385
- 1.5mm Key bore
- Replacement keys are available in the event of loss or damage: keys are fully interchangeable.
- Graduations in easy to read blue enamel
- Manufactured from borosilicate glass

Product Code	Capacity (ml)	Grads. ml	Tol. ± ml	Pack qty.
BRB050P	10	0.02	0.05	1
BRB056P	25	0.10	0.10	1
BRB058P	50	0.10	0.10	1
BRB060P	100	0.20	0.20	1



*BRB050P has a funnel top to aid filling.  
SSD102K Spare keys are available on page 243.*



## Burettes, Sofnol, auto zero, Rotaflo stopcock, class B

**PYREX®**

- Complies with ISO 385
- Easy filling and automatic zero
  - Squeeze the polyethylene bottle to fill the burette
  - Release pressure to allow excess liquid to drain back into bottle and set the burette to zero
- With PTFE Rotaflo® Stopcock for grease-free performance and fine drop-wise control
- 3mm bore PTFE key
- Graduations in white enamel
- Manufactured from borosilicate glass
- Burettes and bottles should be ordered separately

Product Code	Capacity (ml)	Grads. ml	Tol. ± ml	Pack qty.
3298/02	10	0.1	0.10	5
3298/03	20	0.1	0.10	5
3298/04	25	0.1	0.10	5

## Polyethylene reservoir bottles

Product Code	Description	Pack qty.
3299/04	500ml Polyethylene reservoir bottle	1
3299/06	1000ml Polyethylene reservoir bottle	1



## Burettes, Sofnol, auto zero, pinch clip, class B

**MBL®**

- Complies with ISO 385
- Easy filling and automatic zero
  - Squeeze the polyethylene bottle to fill burette
  - Release pressure to allow excess liquid to drain back into bottle and set the burette to zero
- Easy to read blue enamel graduations
- Manufactured from borosilicate glass
- With simple rubber tube and pinch valve for low cost replacement

Product Code	Capacity (ml)	Grads. ml	Tol. ± ml	Reservoir bottle capacity ml	Pack qty.
BRB004	10	0.1	0.10	500	1
BRB006	20	0.1	0.10	1000	1



## Replacement parts


Product Code	Description	Pack qty.
3299/04	500ml Polyethylene reservoir bottle	1
3299/06	1000ml Polyethylene reservoir bottle	1
BRB042	Rubber pinch clip and glass jet	5
BRB256	Glass jet only	5

## Burettes, automatic, PTFE key, class AS

**PYREX®**

- With automatic zero facility
- Simple operation
  - To fill burette apply a slight positive pressure to lower side-arm
  - To set zero, release pressure to allow excess liquid to siphon back into the bottle
- Burettes manufactured from chemically resistant Pyrex® borosilicate glass
- White enamel graduations
- Burettes and accessories should be ordered separately

Product Code	Capacity (ml)	Grads. ml	Tol. ± ml	Pack qty.
3296/02AS	10	0.02	0.02	1
3296/04AS	25	0.05	0.03	1
3296/06AS	50	0.10	0.05	1

 All Automatic burettes feature a 29/32 cone.





## Burettes, automatic, PTFE key, class AS, Schellbach **PYREX®**

- With automatic zero facility
- Burettes manufactured from chemically resistant Pyrex® borosilicate glass and feature a 29/32 Quickfit® cone
- Blue enamel graduations with Schellbach stripe
- Schellbach burette tube with vertical white stripe and central blue ribbon
  - facilitates accurate reading of the meniscus
  - exact position of the meniscus is clearly defined where the blue ribbon splits into a wide and narrow band
- PTFE stopcock

Product Code	Capacity (ml)	Grads. ml	Tol. ± ml	Pack qty.
3396/02AS	10	0.02	0.02	1
3396/04AS	25	0.05	0.03	1
3396/06AS	50	0.10	0.05	1



*Burettes and accessories should be ordered separately.*



## Burettes, automatic, PTFE key, class AS, Schellbach with intermediate stopcock **PYREX®**

- As 3396 range with intermediate stopcock
- Intermediate stopcock facilitates easy drainage of liquid back into reservoir

Product Code	Capacity (ml)	Grads. ml	Tol. ± ml	Pack qty.
3496/02AS	10	0.02	0.02	1
3496/04AS	25	0.05	0.03	1
3496/06AS	50	0.10	0.05	1




*All automatic burettes feature a 29/32 Quickfit® cone.*



## Automatic burette accessories

Product Code	Description	Pack qty.
3297/12	2000ml glass reservoir with 29/32 joint	1
3297/14AS	Rubber blowing ball to fit Class AS Auto burettes	1

**i** 2L reservoir is manufactured from soda-lime glass.



## Burettes, acrylic, with PMP/PE stopcocks, class B



*Azlon*

- Acrylic construction for strength and transparency
- Graduations are screen printed in black to ISO 385 Class B accuracy
- Suitable for use in educational laboratories especially where breakages often occur
- Unaffected by most dilute aqueous solutions but unsuitable for use with organic solvents
- Turning the stopcock through 90° makes it suitable for left or right handed use
- Stopcocks can be removed for easy cleaning

Product Code	Capacity (ml)	Grads. ml	Tol. +/- ml	Pack qty.
BDH112T	25	0.1	0.1	1
BDH118T	50	0.1	0.1	1
BDH124T	100	0.2	0.2	1

## Burettes, acrylic, spares

Product Code	Description	Pack qty.
SWQ030TAR	Spare stopcock for BDH118T & 124T	1
SWQ028T	Spare stopcock for BDH112T	1



See chemical resistance chart in the technical section for more details.