




THE System  
for Solvent Safety


# The next Level!

## SafetyCaps

Safe Solvent Supply for  
any HPLC / UHPLC System



# 2.0





# SafetyCaps 2.0

## The next Level!



**THE System  
for Solvent Safety**



\* Air valve and Fittings for tubing connection are included in delivery.



Part No.	Description	Unit	Thread size	Connections for Ø 3.2 mm (1/8") OD tubing	Blind plugs for tubing connections
307 019	SafetyCap I (V 2.0) *	1	GL 45	1x	-
307 909	SafetyCap II (V 2.0) *	1	GL 45	2x	1x
307 910	SafetyCap III (V 2.0) *	1	GL 45	3x	2x
307 410	SafetyCap IV (V 2.0) *	1	GL 45	4x	2x
307 520	SafetyCap VI (V 2.0) *	1	GL 45	6x	2x
317 010	Air valve for SafetyCaps	1	UNF 1/4" 28G	-	-
397 010	Air valve for SafetyCaps	10	UNF 1/4" 28G	-	-
107 063	Fitting for Ø 3.2 mm OD tubing, blue	5	UNF 1/4" 28G	-	-
107 060	Fitting for Ø 3.2 mm OD tubing, black	5	UNF 1/4" 28G	-	-
107 065	Fitting for Ø 3.2 mm OD tubing, yellow	5	UNF 1/4" 28G	-	-
160 501	Blind plug for tubing connections	10	UNF 1/4" 28G	-	-



**Phone**

**+49 (0) 61 05 / 30 55 86 - 0**

**e-Mail**

**info@scat-europe.com**

**Internet**

**www.scat-europe.com**

# SafetyCaps 2.0 HPLC Starter Kits



**THE System  
for Solvent Safety**

- Price advantage compared to single order
- Suitable for all common HPLC systems (independent of manufacturer)
- Use blind plugs (included) to lock unused connections

**399 200 Starter-Kit-Supply-S1** **A**

1 Blind plug included (to lock unused connections)

**399 201 Starter-Kit-Supply-S2** **B**

4 Blind plugs included (to lock unused connections)



Fig.	Part No.	Description	Content	Unit	Thread size	Connections for Ø 3.2 mm OD tubing
<b>A</b>	399 200	<b>Starter-Kit-Supply-S1</b>	SafetyCap I (V 2.0)	3x	GL 45	1 x
			SafetyCap II (V 2.0)	1x	GL 45	2x
			Blind plug for tubing connection	1x	UNF 1/4" 28G	-
<b>B</b>	399 201	<b>Starter-Kit-Supply-S2</b>	SafetyCap II (V 2.0)	4x	GL 45	2x
			Blind plug for tubing connection	4x	UNF 1/4" 28G	-